



Forage transport wagon

Giga-Trailer



Gigantically powerful and robust

- The Strautmann Giga-Trailer



Optional extension
for increased transport capacity

Robust superstructure design
ensures maximum durability with
low dead weight

Solid transport floor
ensures quick and reliable
discharge

Optional dosing unit
enables uniform silo discharge

Giga-Trailer

The well-known Strautmann Giga-Trailer forage transport wagons are real transport professionals. In powerful forage harvesting with modern forage harvesters, efficient transport logistics are essential. The Giga-Trailer excels by a large transport capacity, a high payload and sturdy design. The short discharge time increases the performance and efficiency of this forage transport wagon.

- 3 models with a loading capacity of 38, 44 and 52 m³
- Efficient transport solution due to:
 - large volumes
 - high payloads
 - sturdy design

Contents

Superstructure	4-5
Discharge and dosing	6-7
Chassis options	8-9
Operation	10
Technical data	11

Sturdy with low dead weight - The superstructure



Sturdy superstructure

- Robust all-steel superstructure
- Continuous side panels with reinforced side posts provide stability
- Perfect corrosion protection due to ACC priming and powder coating



Covering system

- Ensures transport without any losses on the road
- Quick opening and closing via hydraulic cylinders



Versatile use

- Large-sized, hydraulically folding front panel
- Significantly simplifies chopping when harvesting in a specific area
- Entire front panel made of perforated plate for optimum view into the cargo space



Easy access

- Practical access door enables easy entry into the cargo space
- Folding ladder for comfortable access



Tailgate

- Large opening width for easy discharge
- Mechanical locking mechanism ensures secure closure
- Standard opening display in the front panel increases the operational safety even on long working days



For highest loads – Solid transport floor



Transport floor

- Solid round steel chains (14 x 50 mm) with closed transport floor strips ensure quick and reliable discharge
- Large-sized sprockets with wide deflection angle reduce wear
- Automatic chain tensioners ensure permanently correct transport floor tension and a low amount of maintenance required



Mechanical drive

- Powerful drive by means of the tractor's p.t.o. shaft
- High transport floor speed ensures short discharge times for efficient use
- Central power take-off gear for beater and transport floor drive
- Lateral gearbox integrated into the beam for transport floor feed
- Standard equipment on trailers equipped with dosing unit



Hydraulic drive

- Easy and fast discharge by means of two powerful hydraulic motors mounted on the transport floor gearbox integrated in the side of the beam
- Standard equipment on machines without dosing unit
- Optional equipment on machines with dosing unit
- Optional 2-stage function for maximum discharge speed of transport floor

A perfect fodder swathe – The dosing unit



Aggressive beaters

- Dosing unit with two beaters for even fodder discharge on the silo
- Maximum discharge performance due to high fuse protection



Robust drive

- Driven by large-sized roller chains
- Robust design
- Low-maintenance



Safety & comfort

- On the field and on the road



Different chassis options

ensure optimum driving comfort and safety at any time:



Boogie tandem chassis

- Standard equipment on Giga-Trailer 400 & 460
 - Mechanical suspension ensures a high level of driving comfort
 - Large pendulum radius of axles
 - Low pivot point ensures "roll-over effect"
- easy travelling onto the silo



Hydraulic chassis

- Standard equipment on Giga-Trailer 540
- Optional equipment for Giga-Trailer 460
- Easy-towing due to pull-type suspension of the axles
- Axle support by means of lateral hydraulic cylinders
- Perfect driving comfort at high speeds and during cornering
- Even load distribution onto all wheels
- Hydro-pneumatic suspension for optimum driving comfort as optional equipment



Mechanical-hydraulic forced steering axle

- Optional equipment on Giga-Trailer 460
- Standard equipment on Giga-Trailer 540
- Excellent manoeuvrability of Giga-Trailer
- High driving comfort and safety



Slim drawbar

- Linked beneath the frame
- Slim design enables a high degree of manoeuvrability due to maximum turning angle of tractor
- With mechanical drawbar suspension as standard to avoid impacts on the tractor
- Optional hydraulic drawbar suspension for even better driving comfort

Everything under control

- The operating options



Simple direct connection

- Operation of hydraulic functions via direct tractor connection



E-control light

- Operation of hydraulic functions via direct tractor connection
- Switching on and off of work lights
- Operation of 2-stage function of transport floor



E-control

- Comfortable operation of hydraulic functions via toggle switches
- Adjustment of transport floor speed via rotary potentiometer (with hydraulic transport floor drive)

Technical data

	Giga-Trailer 400 without DO / with DO	Giga-Trailer 460 without DO / with DO	Giga-Trailer 540 without DO / with DO
Overall dimensions (tyres 710/50 R 26.5)			
Length [m]	8.42	9.98	11.30
Outside wheel width [m]	2.81	2.81	2.81
Height [m]	3.79	3.84	3.84
Dead weight			
Dead weight from [kg]	6,400 / 6,700	8,000 / 8,300	10,500 / 10,800
Gross vehicle weight rating			
with top linkage [kg]	20,000	-	-
with bottom linkage [kg]	21,000	24,000	34,000
Inside dimensions of superstructure			
Length [m]	6.92	8.21	9.76
Platform width, inner [m]	2.39	2.39	2.39
Height [m]	2.12	2.12	2.12
Loading capacity			
Loading capacity [m³]	35.5	41.0	48.5
Loading capacity with extension [m³]	38.0	44.0	52.0

Figures, technical data and weights may change due to technical development and are not binding for delivery.





www.strautmann.com

B. Strautmann & Söhne GmbH u. Co. KG



Bielefelder Straße 53
D-49196 Bad Laer
Phone: +49(0)5424/802-0
Fax: +49(0)5424/802-76
info@strautmann.com
www.strautmann.com